

Knobbe Martens Olson & Bear LLP

Intellectual Property Law

2040 Main Street
Fourteenth Floor
Irvine, CA 92614
Tel 949-760-0404
Fax 949-760-9502
www.kmob.com

Che S. Chereskin
Senior Patent Scientist

January 28, 2011

ATTN: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Title: HIGH-INTENSITY ELECTROMAGNETIC RADIATION APPARATUS
AND METHODS
Letters Patent No. 7,781,947
Issued: August 24, 2010
Our Reference: SMARB11.001AUS

Dear Sir:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent.

As the errors cited in the Certificate of Correction were incurred through the fault of the Patent Office, no fee is believed to be required. However, please charge our Deposit Account No. 11-1410 for any fees that may be incurred with this request.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP



Che Swyden Chereskin, Ph.D.
Registration No. 41,466
Customer No. 20995

Enclosure

10476272
012811

San Diego
858-836-9000

San Francisco
415-954-4114

Los Angeles
310-551-3450

Riverside
951-781-9231

Seattle
206-405-2000

Washington, DC
202-640-6400

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,781,947
APPLICATION NO. : 10/777995
ISSUE DATE : August 24, 2010
INVENTOR(S) : Camm, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 7, "thickness of, an" should be changed to --thickness of an--

Column 13, Line 54, "filter-particles as" should be changed to --filter particles as--

10476166
012811

MAILING ADDRESS OF SENDER:

Che Swyden Chereskin, Ph.D.
KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 Main Street, 14th Floor
Irvine, California 92614

DOCKET NO. SMARB11.001AUS